

US Road Weight Limits For Shipping Containers

STATE	20 FOOT DV/HC/OT/FR	40 FOOT DV/HC/OT/FR	20 FOOT RF/RH	40 FOOT RF/RH
Alabama	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
Arizona	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Arkansas	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
California	36,500 lbs without tri-axle	44,000 lbs	32,000 lbs without tri-axle	39,000 lbs
	44,000 lbs with tri-axle		38,000 lbs with tri-axle	
Colorado	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Connecticut	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Delaware	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
D.C.	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Florida	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
Georgia	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
Idaho	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Illinois	34,000 lbs without tri-axle	43,000 lbs	32,000 lbs without tri-axle	39,000 lbs
	44,000 lbs with tri-axle		38,000 lbs with tri-axle	
Indiana	38,000 lbs without tri-axle	44,000 lbs	32,000 lbs without tri-axle	39,000 lbs
	44,000 lbs with tri-axle		38,000 lbs with tri-axle	

Iowa	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Kansas	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Kentucky	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Louisiana	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
Maine	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Maryland	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
Massachusetts	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Michigan	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Minnesota	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Mississippi	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
Missouri	38,000 lbs without tri-axle	43,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Montana	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Nebraska	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Nevada	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	

New Hampshire	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
New Jersey	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
New Mexico	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
New York	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
North Carolina	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
North Dakota	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Ohio	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Oklahoma	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Oregon	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Pennsylvania	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
Rhode Island	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
South Carolina	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	43,000 lbs with tri-axle (45,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
South Dakota	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Tennessee	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	42,000 lbs with tri-axle (44,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	

Texas	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Utah	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Vermont	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Virginia	38,000 lbs without tri-axle	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle	41,000 lbs (43,000 lbs with permit)
	44,000 lbs with tri-axle (46,000 lbs with permit)		40,000 lbs with tri-axle (41,000 lbs with permit)	
Washington	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
West Virginia	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	
Wisconsin	38,000 lbs without tri-axle	44,000 lbs	32,000 lbs without tri-axle	39,000 lbs
	44,000 lbs with tri-axle		38,000 lbs with tri-axle	
Wyoming	38,000 lbs without tri-axle	44,000 lbs	34,000 lbs without tri-axle	41,000 lbs
	44,000 lbs with tri-axle		40,000 lbs with tri-axle	